Steel track

SIMPLE. RUGGED. TOUGH.





STEEL TRACK

The closed sections are made from highly rigid, low-wear fine grain steel.

The sharp profile edge penetrates even hard surfaces well. With a full complement of spikes, the steel tracks have good climbing performance and lateral stability.

AREAS OF APPLICATION

Steel tracks are designed for extreme tasks, maximum thrust in steep terrain and on ice and rock. Even on heavy machine-made snow, they are perfectly suited for preparation and dozing work.





Steel track

Vehicle type	Steel track	1.480	Overall wid 1.720	th for track 1.830	width (mm) 2.320	2.350	Weight* per chain set	Cleats pcs.	Cleat height	Cleat widht	Distance of belts	Number of belts	Thickness of belts	Drive sprocket gear
Paana (858)	620 mm	2.100					560 kg	62	62/71 mm	35 mm	116,5 mm	2	10 mm	13
	820 mm	2.500					760 kg					3		
PB 100/Trail (822)	825 mm			2.510			1.350 kg	68		40 mm		3		
	970 mm			2.800			1.460 kg		100 mm			4		
PB 400/ Trail/ Trail narrow (824)	800 mm		2.520			3.150	1.520 kg	75				2		15
	975 mm		2.870			3.500	1.680 kg					3		
	1.648 mm					4.210	2.430 kg					5		
PB 400 (827)	1.628 mm				4.180		2.990 kg	71 78 80			123,5 mm	6	15 mm	14
PB 600 (828)	1.648 mm					4.210	2.470 kg				116,5 mm	5		15
PB 600 E+ (848)							2.540 kg							

www.pistenbully.com

*according to ISO 1176/M6, Tara weights may vary depending on equipment.







